

State of Ohio

Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility <b>Darke County Jail</b>	Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number <b>16</b>	Date <b>1/13/17</b>
Address <b>5185 County Home, Greenville</b>		Category/Descriptive <b>C3S</b>	
License holder <b>Darke Co Jail</b>	Inspection time (min)	Travel time (min)	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>		Follow-up date (if required)	Sample date/result (if required)

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
<input checked="" type="checkbox"/> 4.2	Numbers and capacities
4.3	Location and installation

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Administrative

901:3-4 OAC
3701-21 OAC

150°F 350°C

Violation(s)/Comment(s)

4.2I) No test strips were available at the time of inspection. A test kit that accurately measures the concentration in ppm sanitizing solution shall be provided. 50-99 ppm shall be used for chlorine based solution.

Notes - ~~Discussed~~ Discussed the employee health, body fluid clean-up kit 3 manager's training.  
- Discussed food storage and temperatures of food products.  
- Discussed to monitor dish machine.

Inspected by <b>Laura Schweterman</b>	R.S./SIT # <b>16A029</b>	Licensors <b>DCHID</b>
Received by <b>Robert B. B...</b>	Title	Phone