

State of Ohio
Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

| | | | | |
|---|--|---|-------------------------------------|----------------------------------|
| Name of facility Arcanum VFW 41161 | | Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE | License number 1014 | Date 12/1/17 |
| Address 311 S. Albright St. Arcanum | | | Category/Descriptive NCBS | |
| License holder Arcanum VFW 41161 | | Inspection time (min) | Travel time (min) | Other |
| Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i> | | | Follow-up date (if required) | Sample date/result (if required) |

3717-1 OAC Violation Checked

Management and Personnel

| | |
|-----|----------------------|
| 2.1 | Employee health |
| 2.2 | Personal cleanliness |
| 2.3 | Hygienic practices |
| 2.4 | Supervision |

| | |
|-----|--------------------------------------|
| 4.4 | Maintenance and operation |
| 4.5 | Cleaning of equipment and utensils |
| 4.6 | Sanitizing of equipment and utensils |
| 4.7 | Laundrying |
| 4.8 | Protection of clean items |

Poisonous or Toxic Materials

| | |
|-----|---------------------------------------|
| 7.0 | Labeling and identification |
| 7.1 | Operational supplies and applications |
| 7.2 | Storage and display separation |

Food

| | |
|-----|---|
| 3.0 | Safe, unadulterated and honestly presented |
| 3.1 | Sources, specifications and original containers |
| 3.2 | Protection from contamination after receiving |
| 3.3 | Destruction of organisms |
| 3.4 | Limitation of growth of organisms |
| 3.5 | Identity, presentation, on premises labeling |
| 3.6 | Discarding or reconditioning unsafe, adulterated |
| 3.7 | Special requirements for highly susceptible populations |

Water, Plumbing, and Waste

| | |
|---|--|
| 5.0 | Water |
| 5.1 | Plumbing system |
| 5.2 | Mobile water tanks |
| 5.3 | Sewage, other liquid waste and rainwater |
| <input checked="" type="checkbox"/> 5.4 | Refuse, recyclables, and returnables |

Special Requirements

| | |
|-----|--|
| 8.0 | Fresh juice production |
| 8.1 | Heat treatment dispensing freezers |
| 8.2 | Custom processing |
| 8.3 | Bulk water machine criteria |
| 8.4 | Acidified white rice preparation criteria |
| 9.0 | Facility layout and equipment specifications |
| 20 | Existing facilities and equipment |

Equipment, Utensils, and Linens

| | |
|---|---------------------------------------|
| <input checked="" type="checkbox"/> 4.0 | Materials for construction and repair |
| 4.1 | Design and construction |
| 4.2 | Numbers and capacities |
| 4.3 | Location and installation |

Physical Facilities

| | |
|-----|--|
| 6.0 | Materials for construction and repair |
| 6.1 | Design, construction, and installation |
| 6.2 | Numbers and capacities |
| 6.3 | Location and placement |
| 6.4 | Maintenance and operation |

Administrative

| |
|-------------|
| 901-3-4 OAC |
| 3701-21 OAC |

Violation(s)/Comment(s)

54F) Outside trash receptacle observed with Lid open. all lids must be kept closed to prevent rodent harborage.

4F) Observed sponges in dishwashing sink. Sponges may not be used in contact with cleaned & sanitized or in use food contact surfaces.

*will call Manager to ask about EHP & Bodily fluid procedure

| | | |
|--------------------------------------|----------------------------|----------------------------------|
| Inspected by Spencer Wiley | R.S./SIT # 34165 | Licensors Darlene Cary |
| Received by Jane Crawford | Title | Phone |