

State of Ohio
Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility American Legion #140	Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number 1003	Date 1/13/17
Address 325 N. Ohio St Greenville	Category/Descriptive NC 3S		
License holder American Legion	Inspection time (min)	Travel time (min)	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Complaint <input checked="" type="checkbox"/> Follow up <input type="checkbox"/> Prelicensing <input type="checkbox"/> Foodborne <input type="checkbox"/> Consultation <input type="checkbox"/> 30 day <input type="checkbox"/> Other <i>specify</i>	Follow-up date (if required)	Sample date/result (if required)	

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Administrative

901-3-4 OAC
3701-21 OAC

Violation(s)/Comment(s)

• All previous violations have been corrected!

3.2C) observed lettuce & raw meat being stored on the same shelf. food shall be protected from cross contamination by storing ready to eat foods on top & raw products at the bottom of the units. Doc. given

Notes: Pop nozzle has been replaced.

Inspected by James Schmitz	R.S./SIT # 164029	Licenser DCHD
Received by X / [Signature]	Title	Phone

State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility American Legion #140		Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number 1003	Date 12-12-14
Address 325 N. Ohio St Greenville		Category/Descriptive NC3S		
License holder American Legion		Inspection time (min)	Travel time (min)	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input checked="" type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>		Follow-up date (if required) 1 month		Sample date/result (if required)

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

<input checked="" type="checkbox"/>	4.4	Maintenance and operation
<input checked="" type="checkbox"/>	4.5	Cleaning of equipment and utensils
	4.6	Sanitizing of equipment and utensils
	4.7	Laundrying
	4.8	Protection of clean items

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Food

3.0	Safe, unadulterated and honestly presented	
3.1	Sources, specifications and original containers	
3.2	Protection from contamination after receiving	
3.3	Destruction of organisms	
<input checked="" type="checkbox"/>	3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling	
3.6	Discarding or reconditioning unsafe, adulterated	
3.7	Special requirements for highly susceptible populations	

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Administrative

901:3-4 OAC
3701-21 OAC

130°F (56°C)

Violation(s)/Comment(s)

3.4G) Observed several bags of cheese and summer sausage in plastic bags cut from previous day without required seven day date mark. Please date mark all RTE TSC foods. ***CRITICAL*** Repeat.

3.4H) Observed Cole Slaw in the walk-in cooler with a date marked 11/26/16. All RTE TSC foods shall be consumed or discarded by its "used by"/"best by" date. Please discard the items. ***CRITICAL***. Corrected at time of inspection.

4.4S) Observed several single use containers (cottage cheese) **3 may 10**

Inspected by Sandra Schmitz	R.S./SIT # 164029	Licenser DCHD
Received by A. K. Sh...	Title	Phone

State of Ohio
Continuation Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of Facility American Legion #140	Type of visit Standard	Date 12.12.16
--	---------------------------	------------------

Violation(s)/Comment(s)

4.4S cont) being reused for sweet potatoes, pork n beans in 2 door freezer. Single service articles may not be reused.

4.5D) Observed a red meat spill in 3 door refrigerator & in the walk-in cooler. Please clean the spills as soon as possible. Non food contact surfaces of equipment shall be cleaned at a frequency necessary to preclude buildup of residue.

4.9B) Observed a build up of debris on pop nozzle and ice machine. Please clean at a ~~1x~~ more frequent basis to limit the growth of bacteria.

NOTES:

- Please acquire heat test strips or a irreversible registering temperature indicator to test your dish machine.
- Body fluid spill clean up kit, employee health policy & managers training documents given.

Inspected by Anna Schute	R.S./SIT # 164029	Licensors DCHD
Received by [Signature]	Title	Phone