

State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility American Legion # 140		Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number 1003	Date 2-8-16
Address 325 N. Ohio St., Greenville, OH			Category/Descriptive NC 35	
License holder American Legion		Inspection time (min) 60	Travel time (min) 15	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Preclicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>			Follow-up date (if required)	Sample date/result (if required)

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

4.4	Maintenance and operation
<input checked="" type="checkbox"/> 4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundering
4.8	Protection of clean items

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specification and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
<input checked="" type="checkbox"/> 3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Equipment, Utensils and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Administrative

901.3-4 OAC
3701-21 OAC

Violation(s)/Comment(s)

4.5(5) Found food items in back freezer with old dates written on packages. Facility has been re-using containers with information written instead of removable labels. Containers come from other food items. Single-service articles and single use articles may not be re-used. - Repeat

3.4(6) Found cheese + summer sausage in plastic bags cut from previous day without required seven day date mark. PIC corrected at time of inspection. Thank you.

Inspected by Derek May	R.S./SIT # 2741	Licenser Dirke W. Health Dept.
Received by M. Burns	Title	Phone