

State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility Arby's 47	Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number 1008	Date 1.25.17
Address 1476 Wagner Ave, Greenville		Category/Descriptive C3S	
License holder G2K Inc.	Inspection time (min)	Travel time (min)	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>		Follow-up date (if required)	Sample date/result (if required)

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
<input checked="" type="checkbox"/>	4.6 Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Administrative

901:3-4 OAC
3701-21 OAC

Violation(s)/Comment(s)

4.6(a) observed sani buckets at Oppm. Equipment and food contact surfaces shall be sanitized. PIC created new sanitizer at time of inspection, tested @ 300ppm. Corrected.

NOTES:

- Discussed employee health policy & body fluid clean up kit. Documents are available on our website @ darkecountyhealth.org. examples.
- Monitor ice build up in the freezer walk-in
- Monitor date marking w/ employees.

Inspected by Anna Schustermaier	R.S./SIT# 16-4029	Licensor DCHD
Received by James T. Beaudry	Title Shift Mgr	Phone