State of Ohio Standard Inspection Report

| Auth | ority: Chapters 3717 an | d 3715 Ohio Rev | ised Co | de | |
|---|--|--|---|---|--|
| Name of facility, | | Check one | License number | | Date |
| B&R Petroleum Address 1205 Sweitzer St. Greenv | | ☐ FSO ØRFE | | | 2-23-16 |
| Address 12/16 SILLRITTON ST | t. Greenvi | 110 | Category/l | Descriptive | • |
| License-holder | CIVICUITY | Inspection time (min) | Travel time | - (min) | Other |
| Kupinder Singh | | 35 | | | Other |
| Type of visit (check) | | | Follow-up date (if required) Sample date/result (if require | | Sample date/result (if required |
| ☐ Standard ☐ Follow up ☐ Foodborne ☐ 30 day ☐ Complaint ☐ Prelicensing ☐ Consultation ☐ Other spe | | , | | | |
| | Carol openiy | | | *************************************** | |
| 3717-1 OAC Violation Checked Management and Personnel | | | Pais | onous or Toxic Ma | stariale |
| 2.1 Employee health | 4.4 Maintenance and opera | 4.4 Maintenance and operation | | 7.0 Labeling and identification | |
| 2.2 Personal cleanliness | 4.5 Cleaning of equipment and utensils | | 7.1 Operational supplies and applications | | |
| 2.3 Hygienic practices | . 4.6 Sanitizing of equipment and utensils | | 7.2 Storage and display separation | | |
| 2.4 Supervision | 4.7 Laundering | | | | |
| Food | 4.8 Protection of clean items | | Special Requirements 8.0 Fresh juice production | | |
| 3.0 Safe, unadulterated and honestly presented | Water, Plumbing, and Waste | | | | dispensing freezers |
| 3.1 Sources, specification and original containers | 5.0 Water | | | 8.2 Custom process | |
| 3.2 Protection from contamination after receiving | 5.1 Plumbing system | | | 8.3 Bulk water mac | |
| 3.3 Destruction of organisms | 5.2 Mobile water tanks | | — I — I | | rice preparation criteria |
| 3.4 Limitation of growth of organisms | 5.3 Sewage, other liquid waste and rainwater | | | | nd equipment specifications |
| 3.5 Identity, presentation, on premises labeling | 5.4 Refuse, recyclables, and returnables | | | 20 Existing facilitie | s and equipment |
| 3.6 Discarding or reconditioning unsafe, adulterated | Physical Facilities | | Administrative | | |
| 3.7 Special requirements for highly susceptible populations 6.0 Materials for construction and repair | | on and repair | 901:3-4 OAC | | |
| Equipment, Utensils and Linens | 6.1 Design, construction and installation | | | 3701-21 OAC | and the second s |
| 4.0 Materials for construction and repair | 6.2 Numbers and capacities | | 1 | | |
| 4.1 Design and construction | 6.3 Location and placement | | | | |
| 4.2 Numbers and capacities | 6.4 Maintenance and opera | | | | |
| 4.3 Location and installation | ÷ | | | | |
| | | | | | |
| Violation(s)/Comment(s) | | Potentials | ; | | |
| - Catis(acton | 1 at to | NO 62 | 1/70 | S DOCK | 1. |
| | 7 00 1//1 | (CE ()) | 1/6 | JPCC+1 | ()//. |
| | | | | | |
| | | | | | |
| | | | | | |
| | ender a service and a service | | | | THE STREET STREET |
| | | | | | |
| | - | | | | |
| | | | | -1 | |
| ` | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | BETTY | |
| | And the state of t | 78-71-7-4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1- | | | |
| Inspected/by | R.S/SI7#-> / | Licensor | l es e | 7 7 7 | |
| NUMAN KULLA | ' 1 1 1 1 4 5 / ご | 56 111 | SKI | VV /. | D +//) |
| Received by W | Title | <u> </u> | · · · / | Phone | |
| X Manded . NOT | E Mar | 2011 | | | |
| HEA 530212/10 Ohio Department of Health | Distribution: Top copy—Opera | ator, Bottom copy—Loc | al health de | partment | 1 |
| AGR 1268 12/10 Ohio Department of Agriculture | Bottom | Сору | | | pgof |