## State of Ohio **Standard Inspection Report**

Autho	rity: Chapters 3717 and	3/15 Ohio Revise	d Code			
Name of facility		Check one Lie	License number		Date	
Ben Franklin		☐ FSO ☐ RFE	48 12-21-16			
4-8 W. Glorge Avenue				Category/Descriptive		
License holder		Inspection time (min) Tra	avel time (m	in)	Other	
Ben Franklin						
{\puper of visit (check)		Fo	Follow-up date (if required) Sample date/r		Sample date/result (if required)	
Standard						
					-	
3717-1 OAC Violation Checked Management and Personnel				ie or Tovic Ma	toriale	
2.1 Employee health				Poisonous or Toxic Materials  7.0 Labeling and identification		
2.1 Employee realth 2.2 Personal cleanliness	4.5 Cleaning of equipment and utensils		7.1	Operational supplies and applications		
2.3 Hygienic practices	4.6 Sanitizing of equipment and utensils			Storage and dis	<u> </u>	
2.4 Supervision	4.7 Laundering	1.2	Storage and this	high schargrou		
	4.8 Protection of clean items	Special Requirements				
Food				Fresh juice prod	uction	
3.0 Safe, unadulterated and honestly presented	Water, Plumbing, and Waste			Heat treatment	dispensing freezers	
3.1 Sources, specifications and original containers	5.0 Water		8.2	Custom process	ing	
3.2 Protection from contamination after receiving	5.1 Plumbing system		8.3	Bulk water mac	hine criteria	
3.3 Destruction of organisms	5.2 Mobile water tanks				rice preparation criteria	
3.4 Limitation of growth of organisms	5.3 Sewage, other liquid waste and rainwater		9.0		nd equipment specifications	
3.5 Identity, presentation, on premises labeling	5.4 Refuse, recyclables, and returnables		20	Existing facilities	s and equipment	
3.6 Discarding or reconditioning unsafe, adulterated	Physical Facilities	Administrative				
3.7 Special requirements for highly susceptible populations   Figsical Facilities   6.0   Materials for construction and repair			901:3-4 OAC			
Equipment, Utensils, and Linens  6.1 Design, construction, and installation				)1-21 OAC		
4.0 Materials for construction and repair				71 21 0/10		
4.1 Design and construction	6.3 Location and placement					
4.2 Numbers and capacities	6.4 Maintenance and operation					
4.3 Location and installation						
Violation(s)/Comment(s)						
Satisfactory at time of inspection.						
Coconstruction of the territory						
	In a 100 = 1					
Inspected by Actile R.S./SIT#						
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1						
Received by Phone						
1 Daw Well						
UEA TOOK ON OUT TO 11 TO 11	Distribution: Top conv. Opera	tor Pottom conv. Local	1 1.1 1			

HEA 5302 2/12 Ohio Department of Health AGR 1268 2/12 Ohio Department of Agriculture