

State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility Dollar General 2573		Check one <input type="checkbox"/> FSO <input checked="" type="checkbox"/> RFE	License number 2022	Date 011-23-15
Address 539 Wagner Ave, Greenville		Category/Descriptive CIS		
License holder Dolgencorp		Inspection time (min) 35	Travel time (min)	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Complaint		<input type="checkbox"/> Follow up <input type="checkbox"/> Prelicensing	<input type="checkbox"/> Foodborne <input type="checkbox"/> Consultation	<input type="checkbox"/> 30 day <input type="checkbox"/> Other specify
Follow-up date (if required)			Sample date/result (if required)	

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specification and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Equipment, Utensils and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

Water, Plumbing, and Waste

5.0	Water
<input checked="" type="checkbox"/> 5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Administrative

901:3-4 OAC
3701-21 OAC

Violation(s)/Comment(s)

(5.1) No hot water available at handwashing sink in restroom. Discussed a handwashing sink shall be equipped to provide water at a temperature of at least 100 F through a mixing valve or combination faucet. ~~Dis~~ please repair so that plumbing is in good repair.

Note: New TRUE freezer.

Inspected by Megan Kausew	R.S./SIT# 1431310	Licenser Darke Co #10
Received by Tracy Gausew	Title	Phone