State of Ohio Standard Inspection Report

Autho	rity: Chapters 3717 a	nd 3715 Ohio Rev	ised Cod	е	
Name of facility		Check one	License number		Date
Fldora Socialula (Ballroom)		PSO RFE	1040		3-28-16
Address	Nour our j	<u> </u>	Category/D	escriptive	land for 1 de
113889 St 124: 118	New West	7)	02	1.5	
License holder	70000 110001	Inspection time (min)	Travel time	(min)	Other
FIDAMA SOPROGUIALL	Inn,				
Type of visit (check)		Follow-up date (if required)		Sample date/result (if required	
Standard					
The state of the s	ittation Li Other specia	У			
3717-1 OAC Violation Checked					
Management and Personnel			Poisonous or Toxic Materials		
2.1 Employee health 2.2 Personal cleanliness	4.4 Maintenance and operation 4.5 Cleaning of equipment and utensils		7.0 Labeling and identification		
2.2 Personal cleanliness 2.3 Hygienic practices				7.1 Operational supplies and applications	
2.4 Supervision	4.6 Sanitizing of equipment and utensils 4.7 Laundering		7.2 Storage and display separation		
Food	4.8 Protection of clean items		Special Requirements		
3.0 Safe, unadulterated and honestly presented				1.0 Fresh juice prod	
3.1 Sources, specification and original containers	Traco, I racing, and wante				dispensing freezers
3.2 Protection from contamination after receiving	5.0 Water			.2 Custom process	
3.3 Destruction of organisms	5.1 Plumbing system 5.2 Mobile water tanks			.3 Bulk water mac	
3.4 Limitation of growth of organisms	5.3 Sewage, other liquid waste and rainwater				rice preparation criteria nd equipment specifications
3.5 Identity, presentation, on premises labeling	5.4 Refuse, recyclables, and returnables			·	
3.6 Discarding or reconditioning unsafe, adulterated	 		20 Existing facilities and equipment		
3.7 Special requirements for highly susceptible populations	Physical Facilities		Administrative		
Equipment, Utensils and Linens	6.0 Materials for construction and repair 6.1 Design, construction and installation			901:3-4 OAC	
4.0 Materials for construction and repair	6.2 Numbers and capacities		-	3701-21 OAC	
4.1 Design and construction	6.3 Location and placement		-		
4.2 Numbers and capacities	6.4 Maintenance and operation				
4.3 Location and installation					
·					
Violation(s)/Comment(s)					
LICENSE ISSUED					
Catic Could and display of included into					
SUISTACTORI OF THE OF 11/5 DECTION.					
<i>'</i>					
4.					
					79 - 79 - 79 - 79 - 79 - 79 - 79 - 79 -
·					
Inspected by	R.S./SIJ.# /	Licensor /	7		70 701
11/4000 Malder 143131 1) Arke (0 H/)					
Received by Title Phone					
Dard Sturk					
HEA 530212/10 Ohio Department of Health	Distribution: Top copy-Ope	rator, Bottom copy—Loca	al health dep	partment	
AGR 1268 12/10 Ohio Department of Agriculture	Bottom	Сору			pgof