State of Ohio Standard Inspection Report Authority: Chapters 3717 and 3715 Ohio Revised Code

Autilo	лку. С	mapters 3717 at	na 3715 Onio Rev	isea Code		
Name of facility KIN MINTER	\mathcal{L}	chool	Check one	License number	Date 12-70-75	
Address Ld.	AY	canum	1	Category/Descriptive		
License holder WHICK GUDEN			Inspection time (min)	Travel time (min)	Other	
Type of visit (check) Standard Follow up Complaint Prelicensing Consultation Other specify		Follow-up date (if require	Sample date/result (if required)			
3717-1 OAC Violation Checked						
Management and Personnel				Poisonous or Toxic Materials		
2.1 Employee health		4.4 Maintenance and operation		7.0 Labeling and identification		
2.2 Personal cleanliness	4			7.1 Operational supplies and applications		
2.3 Hygienic practices		4.6 Sanitizing of equipment and utensils		7.2 Storage an	d display separation	
2.4 Supervision		4.7 Laundering		Special Requirements		
Food	4	4.8 Protection of clean items				
3.0 Safe, unadulterated and honestly presented	Water,	Water, Plumbing, and Waste			nent dispensing freezers	
3.1 Sources, specification and original containers	5	.0 Water		8.2 Custom pro		
3.2 Protection from contamination after receiving	5	.1 Plumbing system			machine criteria	
3.3 Destruction of organisms	5	2 Mobile water tanks			hite rice preparation criteria	
3.4 Limitation of growth of organisms	5.	5.3 Sewage, other liquid waste and rainwater			ut and equipment specifications	
3.5 Identity, presentation, on premises labeling	5.	5.4 Refuse, recyclables, and returnables		20 Existing fac	ilities and equipment	
3.6 Discarding or reconditioning unsafe, adulterated	Physic	al Facilities				
3.7 Special requirements for highly susceptible populations		Materials for construct	ion and ronair	Administrative		
Equipment, Utensils and Linens				901:3-4 OAC		
4.0 Materials for construction and repair		6.1 Design, construction and installation 6.2 Numbers and capacities		3701-21 OAC		
4.1 Design and construction	6.					
4.2 Numbers and capacities	 					
4.3 Location and installation						
				Square turns black as temperature	MOLABEL ® 160°F 11°C 28	
is reached 8						
Violation(s)/Comment(s)					¥	

Lift CHICF	7/1	1 /1-1	カル カ	0 12.		
		1,00	/// 4	()		
11/20	201	1008 1.		*	-	
		the same standard and second				
**A.						
					,	
Inspected by AM AUSED R.S./SIT#366 Licensor WHE 60 //D						
Received by Michael Title Phone						
HEA 530212/10 Ohio Department of Health Distribution: Top copy—Operator, Bottom copy—Local health department AGR 1268 12/10 Ohio Department of Agriculture Bottom Copy Bottom Copy Bottom Copy						

Critical Control Point Inspection

Authority: Chapter 3717 Ohio Revised Code

Name of facility Hanklin Montoc	License number	Date /2 - 10 - 15
8591 Oakls Rd.	Category/Descriptive	
Licenseyholder PATNICK	Inspection time (min)	Travel time (min)
Comments:		
Schistactory	at time)
7 MARCE	retion.	
		C
	· ·	
		শুরুট
	ž.	
• • • • • • • • • • • • • • • • • • • •		
Temperature Log		
Indicate state food is in (receiving, storage, Food item preparation, cooling,	Food item	ndicate state food is in {receiving, storage, Temperature preparation, cooling,

EA (Rev. 6350/2/12) Olfio Dept. of Health 4 / / Distribution: Top copy—operator, Bottom copy—Local health department

pg ____ of ____