State of Ohio

Standard Inspection Report Authority: Chapters 3717 and 3715 Ohio Revised Code

	onty. Chapters 3717 at	id 3715 Onio Rev	isea Coae		
Name of facility Address LOU MAYTIN ST.	IVVUOUT	Check one	License numl	65	Date 1 22-16
Address	7,7,00, 11/		Category/Descriptive		
(all Martin st.	OPERNVI.	11 <u>0</u> -	67	5	
License holder LICENSE HOLDER		Inspection time (min)	Travel time (min)		Other
Type of visit (check) Standard Follow up Foodborne 30 day			Follow-up date (if required) Sample (Sample date/result (if required)
☐ Complaint ☐ Prelicensing ☐ Cons	ultation	/			
3717-1 OAC Violation Checked					
Management and Personnel			Poisonous or Toxic Materials		
2.1 Employee health 2.2 Personal cleanliness	4.4 Maintenance and opera 4.5 Cleaning of equipment			7.0 Labeling and identification	
2.3 Hygienic practices	4.5 Cleaning of equipment and utensils 4.6 Sanitizing of equipment and utensils		(7.1 Operational supplies and applications	
2.4 Supervision .	4.7 Laundering		7.2 Storage and display separation		
Food	4.8 Protection of clean items		Special	Special Requirements	
3.0 Safe, unadulterated and honestly presented			8.0	8.0 Fresh juice production	
3.1 Sources, specification and original containers	Water, Plumbing, and Waste		8.1	Heat treatment of	dispensing freezers
3.2 Protection from contamination after receiving		5.0 Water		Custom processi	ing .
3.3 Destruction of organisms	5.1 Plumbing system		8.3	Bulk water mach	
3.4 Limitation of growth of organisms	5.2 Mobile water tanks		8.4		rice preparation criteria
3.5 Identity, presentation, on premises labeling	5.3 Sewage, other liquid waste and rainwater5.4 Refuse, recyclables, and returnables		9.0		nd equipment specifications
3.6 Discarding or reconditioning unsafe, adulterated		i returnables		Existing facilities	s and equipment
3.7 Special requirements for highly susceptible populations	susceptible populations Physical Facilities			rative	
Equipment, Utensils and Linens	6.0 Materials for construction and repair		901:3-4 OAC		
4.0 Materials for construction and repair	6.1 Design, construction and installation		3701-21 OAC		
4.1 Design and construction	6.2 Numbers and capacities	<u> </u>			
4.2 Numbers and capacities	6.3 Location and placement				
4.3 Location and installation	6.4 Maintenance and operation				
Violation(s)/Comment(s) DISCUSSEO(nuu .	rule c	han	ges	
Sotisfact	ery at	TM	<u> </u>	j //	Opection

	vy nare months again, and an annual and a second a second and a second a second and				
Received by HOLL HOLL	R.S./SIT #3/3	36 Licenson	ATH	Phone	010
HBA 3302 18440 Onio Department of Health AGR 1268 12X10 Onio Department of Agriculture	Distribution: Top copy—Opera		il health depart	ment	pgof