State of Ohio

Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility		Check one	License number		Date 2-8-17	
KPST FICIVEY	FSO RFE	112	<u> </u>	2817		
Address // Ohio Gra	enville	·	Category/Desc	riptive		
License holder	. , , ,	Inspection time (min)	Travel time (mi	in)	Other	
Tara Rutschillii	40					
Type of visit (check)		0	Follow-up date	(if required)	Sample date/result (if required)	
Standard	/	ify				
3717-1 OAC Violation Checked						
Management and Personnel			Poisonou	ıs or Toxic Ma	terials	
2.1 Employee health	4.4 Maintenance and op	eration	7.0 Labeling and identification			
2.2 Personal cleanliness	4.5 Cleaning of equipme	nt and utensils	7.1	1 Operational supplies and applications		
2.3 Hygienic practices	4.6 Sanitizing of equipme	ent and utensils	7.2	Storage and dis	play separation	
2.4 Supervision	4.7 Laundering		Special Requirements			
Food	4.8 Protection of clean it	ems	· · · · · · · · · · · · · · · · · · ·	<u> </u>		
3.0 Safe, unadulterated and honestly presented	Water, Plumbing, and Wast	•		Fresh juice prod		
3.1 Sources, specifications and original containers	5.0 Water				dispensing freezers	
3.2 Protection from contamination after receiving				Custom process		
3.3 Destruction of organisms	5.1 Plumbing system 5.2 Mobile water tanks			Bulk water mac		
3.4 Limitation of growth of organisms	5.3 Sewage, other liquid	wanta and rainwatar			rice preparation criteria nd equipment specifications	
3.5 Identity, presentation, on premises labeling	5.4 Refuse, recyclables,				nd equipment specifications is and equipment	
3.6 Discarding or reconditioning unsafe, adulterated		and returnables		existing facilitie	s and equipment	
3.7 Special requirements for highly susceptible populations	Physical Facilities		Administ	rative		
	6.0 Materials for constru	ction and repair	901:3-4 OAC			
Equipment, Utensils, and Linens	6.1 Design, construction,		370	1-21 OAC		
4.0 Materials for construction and repair	6.2 Numbers and capacit	••				
4.1 Design and construction	6.3 Location and placem					
4.2 Numbers and capacities	6.4 Maintenance and op	eration	-			
4.3 Location and installation				1-TEMP TH Square turns	IERMOLABEL ®	
				black as temperature is reached	160°F 1-160°F 1-160°F	
Violation(s)/Comment(s)						
Violation(s//Comment(s)						
	- I - I		· · · · · · · · · · · · · · · · · · ·		•	
Satistactory	at to	me on	1119	5DPC1	5011.	
	<u> </u>	U	, 4 J hanne	1		
Inspected by	R.S./SIT#	Licenson	Var KA		D HIN	
Received by	Title			Phon		
Janney Mears DTK	Die	by Suppl	1181	9	37-548-1/38	
HEA 5302 2/12 Office Department of Health AGR 1268 2/12 Ohio Department of Agriculture	Distribution: Top copy-O	perator, Bottom copy—Lo	cal health depar	rtment	pg/of _/	

Critical Control Point Inspection

Authority: Chapter 3717 Ohio Revised Code

Name of facility	License number	Date
Rest Haven	1/27	2-8-17
	Category/Descriptive	
1094 N. OMO Greens License holder TAVA RUTSCHILLING	VIIIL (45	
License holder	Inspection time (min)	Travel time (min)
Tara Kutschilling	W	
Comments:		
Gatisfactory al	Time In 1	15pections.
*	 	
•		
		· ·
		
· · · · · · · · · · · · · · · · · · ·		
Temperature Log		

Temperature Log					
Food item	Indicate state food is in (receiving, storage, preparation, cooling, holding, reheating, etc.)	Temperature	Food item	Indicate state food is in (receiving, storage, preparation, cooling, holding, reheating, etc.)	Temperature
aravu	401 4011	180°F	lettrice	Cold Hold	35.F
STEAK	+/A+ +/0/d.	180F			
potato	HOT HOLD,	110F			
Tima hang	Hot Hold	195F			
Milace chiefe	Wild Hold	36F		-	
MIX	l'old Hold	,35 F			
1996	1010 HOIA	35 F			
Inspected by	Mev	R.S./S/T#	Licenson WKR (0) /	10	,
Repeived by M. M. M.	D, D71		nietary Syn	Phone 937-5	548-1138
HEA (Rev. 5350 2/12) Ohio Dept. of H	lealth Distribution:	Top copy—operat	or, Bottom copy—Local health departr	nent pg of	· · · · · · · · · · · · · · · · · · ·