

State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility <i>Speedway # 7654</i>	Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number <i>2012</i>	Date <i>12-10-15</i>
Address <i>1350 Sweitzer St. Greenville</i>		Category/Descriptive <i>CSS</i>	
License holder <i>Speedway, LLC</i>	Inspection time (min)	Travel time (min)	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>		Follow-up date (if required)	Sample date/result (if required)

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

<input checked="" type="checkbox"/> 2.4	Maintenance and operation
<input checked="" type="checkbox"/> 2.5	Cleaning of equipment and utensils
2.6	Sanitizing of equipment and utensils
2.7	Laundering
2.8	Protection of clean items

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specification and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Water, Plumbing, and Waste

5.0	Water
<input checked="" type="checkbox"/> 5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Equipment, Utensils and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

Physical Facilities

<input checked="" type="checkbox"/> 6.0	Materials for construction and repair
<input checked="" type="checkbox"/> 6.1	Design, construction and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Administrative

901:3-4 OAC
3701:21 OAC

937-548-4196 x206

Violation(s)/Comment(s)

<p><i>(4.4A) observed numerous seals on cooler doors broken. Discussed to fix the seals so it is maintained in good repair. Repeat.</i></p> <p><i>(4.5) Observed a build up of growth on ice machine on top of fountain drink machine. Discussed to clean on a more frequent basis to limit growth. Repeat. critical</i></p> <p><i>(5.10) Observed PIC stated they dump damaged drinks down handwashing sink. Discussed handwashing sinks shall not be used for any other purpose than handwashing to protect from contamination</i></p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Inspected by <i>Melgan Kaisee</i></td> <td>R.S./SIT # <i>14336</i></td> <td>Licensors <i>Darke (OAH)</i></td> </tr> <tr> <td>Received by <i>Mansley Sraker</i></td> <td>Title</td> <td>Phone</td> </tr> </table>	Inspected by <i>Melgan Kaisee</i>	R.S./SIT # <i>14336</i>	Licensors <i>Darke (OAH)</i>	Received by <i>Mansley Sraker</i>	Title	Phone
Inspected by <i>Melgan Kaisee</i>	R.S./SIT # <i>14336</i>	Licensors <i>Darke (OAH)</i>					
Received by <i>Mansley Sraker</i>	Title	Phone					

