

State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility American Legion # 353	Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number 1002	Date 10-30-2017
Address 118 Mackinaw PO Box 338 Ansonia		Category/Descriptive NC3S	
License holder American Legion # 353	Inspection time (min)	Travel time (min)	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>		Follow-up date (if required)	Sample date/result (if required)

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
<input checked="" type="checkbox"/> 3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
<input checked="" type="checkbox"/> 5.4	Refuse, recyclables, and returnables

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Administrative

901:3-4 OAC
3701-21 OAC

Violation(s)/Comment(s)

3.2-C Observed fish uncovered in 3 bay refrigerator. Discussed food products shall be covered to prevent cross contamination. PIC covered fish at time of inspection. Critical. Corrected at time of inspection.

5.4-b Observed dumpster on gravel. Discussed all refuse containers shall be on non absorbant surfaces, such as concrete or asphalt, and shall be smooth, durable and sloped to drain.

Inspected by Shane Winkler	R.S./SIT # 174254	Licensor OCHO	Phone 437-423-3925
Received by Annie Merriah	Title 10-30-17		