

State of Ohio
Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility Brenda's Brannery	Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number 140	Date 11/27/17
Address 40 S Broadway Greenville	Category/Descriptive C4S	Inspection time (min)	Travel time (min)
License holder Brenda McDonald	Other	Follow-up date (if required)	Sample date/result (if required)
Type of visit (check) <input type="checkbox"/> Standard <input checked="" type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input checked="" type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other specify			

3717-1 OAC Violation Checked

Management and Personnel

<input type="checkbox"/> 2.1 Employee health
<input type="checkbox"/> 2.2 Personal cleanliness
<input type="checkbox"/> 2.3 Hygienic practices
<input checked="" type="checkbox"/> 2.4 Supervision

<input type="checkbox"/> 4.4 Maintenance and operation
<input type="checkbox"/> 4.5 Cleaning of equipment and utensils
<input type="checkbox"/> 4.6 Sanitizing of equipment and utensils
<input type="checkbox"/> 4.7 Laundering
<input type="checkbox"/> 4.8 Protection of clean items

Poisonous or Toxic Materials

<input type="checkbox"/> 7.0 Labeling and identification
<input type="checkbox"/> 7.1 Operational supplies and applications
<input type="checkbox"/> 7.2 Storage and display separation

Food

<input type="checkbox"/> 3.0 Safe, unadulterated and honestly presented
<input type="checkbox"/> 3.1 Sources, specifications and original containers
<input type="checkbox"/> 3.2 Protection from contamination after receiving
<input type="checkbox"/> 3.3 Destruction of organisms
<input type="checkbox"/> 3.4 Limitation of growth of organisms
<input type="checkbox"/> 3.5 Identity, presentation, on premises labeling
<input type="checkbox"/> 3.6 Discarding or reconditioning unsafe, adulterated
<input type="checkbox"/> 3.7 Special requirements for highly susceptible populations

Water, Plumbing, and Waste

<input type="checkbox"/> 5.0 Water
<input type="checkbox"/> 5.1 Plumbing system
<input type="checkbox"/> 5.2 Mobile water tanks
<input type="checkbox"/> 5.3 Sewage, other liquid waste and rainwater
<input type="checkbox"/> 5.4 Refuse, recyclables, and returnables

Special Requirements

<input type="checkbox"/> 8.0 Fresh juice production
<input type="checkbox"/> 8.1 Heat treatment dispensing freezers
<input type="checkbox"/> 8.2 Custom processing
<input type="checkbox"/> 8.3 Bulk water machine criteria
<input type="checkbox"/> 8.4 Acidified white rice preparation criteria
<input type="checkbox"/> 9.0 Facility layout and equipment specifications
<input type="checkbox"/> 20 Existing facilities and equipment

Physical Facilities

<input type="checkbox"/> 6.0 Materials for construction and repair
<input type="checkbox"/> 6.1 Design, construction, and installation
<input type="checkbox"/> 6.2 Numbers and capacities
<input type="checkbox"/> 6.3 Location and placement
<input type="checkbox"/> 6.4 Maintenance and operation

Administrative

<input type="checkbox"/> 901:3-4 OAC
<input type="checkbox"/> 3701-21 OAC

Equipment, Utensils, and Linens

<input type="checkbox"/> 4.0 Materials for construction and repair
<input type="checkbox"/> 4.1 Design and construction
<input type="checkbox"/> 4.2 Numbers and capacities
<input type="checkbox"/> 4.3 Location and installation

Violation(s)/Comment(s)

2.4C.) No employee health policy available at time of inspection. Example document has been given and PIC stated he will get all needed signatures soon.

ALL OTHER PREVIOUS VIOLATIONS HAVE BEEN CORRECTED!

Thank you!

Body Fluid kit has been ordered.

Inspected by Amya Schutera	R.S./SIT # 164029	Licensors DCHD
Received by Michael R. [Signature]	Title Owner	Phone 548-2326