## **State of Ohio**

## **Standard Inspection Report**Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility	Check one	License numb	er	Date	
DUCKEVE BEVERAAC.		□ FSO X RFE			12-5-18 ·
Address Off Wagner MR Cireenville			Category/Descriptive		
License holder Inspection time (min)			14/02	$\frac{1}{1}$	Tou
Douglaus Schmidt		Inspection time (min)	Travel time (min)		Other
Type of visit (check)  Standard □ Follow up □ Foodborne □ 30 day			Follow-up date (if required)		Sample date/result (if required)
	borne	v			
3717-1 OAC Violation Checked Management and Personnel			Poisono	ıs or Toxic Ma	
2.1 Employee health	4.4 Maintenance and operation			7.0 Labeling and identification	
2.2 Personal cleanliness		0 1 1		Operational supplies and applications  Storage and display separation	
2.3 Hygienic practices		4.6 Sanitizing of equipment and utensils		Storage and dis	play separation
2.4 Supervision	4.7 Laundering		Special Requirements		
Food	4.8 Protection of clean item		Fresh juice prod	uction	
3.0 Safe, unadulterated and honestly presented	Water, Plumbing, and Waste	8.1		dispensing freezers	
3.1 Sources, specifications and original containers	5.0 Water		8.2	Custom process	
3.2 Protection from contamination after receiving	5.1 Plúmbing system		8.3	Bulk water mac	
3.3 Destruction of organisms	5.2 Mobile water tanks		8.4		rice preparation criteria
3.4 Limitation of growth of organisms	5.3 Sewage, other liquid waste and rainwater		4		nd equipment specifications
3.5 Identity, presentation, on premises labeling	5.4 Refuse, recyclables, and returnables		20		
3.6 Discarding or reconditioning unsafe, adulterated	<del></del>				
3.7 Special requirements for highly susceptible populations	Physical Facilities		Administrative		
Equipment, Utensils, and Linens	6.0 Materials for construction and repair			901:3-4 OAC	
4.0 Materials for construction and repair	6.1 Design, construction, and installation		370	1-21 OAC	
4.1 Design and construction	6.2 Numbers and capacities		_		
4.1 Design and construction  4.2 Numbers and capacities	6.3 Location and placement				
4.3 Location and installation	6.4 Maintenance and operation				
No. 1 (2) (1) (2)					
Violation(s)/Comment(s)					
SMISTACTONI (a TIME 1/2 INSPECTION					
- 00113   MOTO, 9 C 1110   1110   01   1110   01   1110   01   1110   01   1110   01   1110   01   1110   01					
Inspected by		Licenson		-	7/8
[[[[[[]]]]]]					
Received by Title Phone					
Oka - Rull	) IIII			FIION	
JEA 5202 2/12 Objo Donostroom of U. J.	Distribution T = =	. 5			
HEA 5302 2/12 Ohio Department of Health AGR 1268 2/12 Ohio Department of Agriculture	Distribution: Top copy—Oper	ator, Bottom copy-Loca	I health depar	tment	ng / of /