

State of Ohio
Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility <i>Dollar General #12322</i>	Check one <input type="checkbox"/> FSO <input checked="" type="checkbox"/> RFE	License number <i>127</i>	Date <i>3-16-17</i>
Address <i>310 N. Main St. New Madison</i>		Category/Descriptive <i>C15</i>	
License holder <i>Dolgen Corp.</i>	Inspection time (min) <i>70</i>	Travel time (min)	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other specify		Follow-up date (if required)	Sample date/result (if required)

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
<input checked="" type="checkbox"/> 4.8	Protection of clean items

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

Physical Facilities

6.0	Materials for construction and repair
<input checked="" type="checkbox"/> 6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
<input checked="" type="checkbox"/> 6.4	Maintenance and operation

Administrative

901:3-4 OAC
3701:21 OAC

Violation(s)/Comment(s)

(4.8E) Observed paper products stored on the floor. Discussed single use articles shall be stored 6" off the floor to protect from contamination.

(16.4) Observed a gap on the loading door in back storage room. Discussed to repair door sweep to prevent entry of pests.

Inspected by <i>Megan Kelley</i>	R.S./SIT# <i>143136</i>	Licenser <i>Darke Co F11</i>
Received by <i>Bob [Signature]</i>	Title <i>Score mgr</i>	Phone <i>996-0454</i>