## **State of Ohio**

## **Standard Inspection Report**

Author	rity: Chapters 3717 and 3715 Ohio Revise	ed Code		
Name of facility Check one		icense number	Date	
FLOORA SPREADULICIPANDSTANA DE DREE		1050	3-30-17	
Address		Category/Descriptive		
1 <i>13884 St. Rt. 11X</i> N/i	(U) [D165TD17	<i>C3</i> S		
License holder	Inspection time (min) Ti	ravel time (min)	Other	
Flanca Sorrawau				
Type of visit (check)		ollow-up date (if required)	Sample date/result (if required)	
Standard	_ ,			
3717-1 OAC Violation Checked Management and Personnel		Poisonous or Toxic Ma	storiale	
2.1 Employee health	4.4 Maintenance and operation	7.0 Labeling and id		
2.2 Personal cleanliness	4.5 Cleaning of equipment and utensils		oplies and applications	
2.3 Hygienic practices	4.6 Sanitizing of equipment and utensils			
2.4 Supervision	4.7 Laundering		sial Paguiromente	
Food	4.8 Protection of clean items	Special Requirements	8.0 Fresh juice production	
3.0 Safe, unadulterated and honestly presented	Water, Plumbing, and Waste		dispensing freezers	
3.1 Sources, specifications and original containers	5.0 Water	8.2 Custom process		
3.2 Protection from contamination after receiving	5.1 Plumbing system	8.3 Bulk water mad		
3.3 Destruction of organisms	5.2 Mobile water tanks	8.4 Acidified white	rice preparation criteria	
3.4 Limitation of growth of organisms	5.3 Sewage, other liquid waste and rainwater	9.0 Facility layout a	nd equipment specifications	
3.5 Identity, presentation, on premises labeling	5.4 Refuse, recyclables, and returnables	20 Existing facilities	es and equipment	
3.6 Discarding or reconditioning unsafe, adulterated     3.7 Special requirements for highly susceptible populations	Physical Facilities	Administrative		
	6.0 Materials for construction and repair	901:3-4 OAC		
Equipment, Utensils, and Linens	6.1 Design, construction, and installation	3701-21 OAC		
4.0 Materials for construction and repair	6.2 Numbers and capacities	ļ		
4.1 Design and construction 4.2 Numbers and capacities	6.3 Location and placement			
4.3 Location and installation	6.4 Maintenance and operation			
Violation(s)/Comment(s)				
NEW BOYA MINUL EQUE-37 BERG Freezer.				
New My Middle WF-2 BERG Freezer.				
Satisfartand at time a inspection.				
- TOTALONG WATER OF HISPORT OF THE				
LICENSE 155111A.				
Inspected by AM I DID I Licensor				
Received by Title   Phone				
The Priorie				
HEA/5302 2/12 Ohio Department of Health	Distribution: Top copy—Operator, Bottom copy—Local	I health department		
AGR 1268 2/12 Ohio Department of Agriculture	рыньицин. тор сору—орегатог, волготи сору—соса	i neami uepaitment	pgof	