

State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility <i>Marshall's Carry Out</i>	Check one <input type="checkbox"/> FSO <input checked="" type="checkbox"/> RFE	License number <i>2062</i>	Date <i>4-5-17</i>
Address <i>9990 St. Rt. 36 Bradford</i>		Category/Descriptive <i>C2S</i>	
License holder <i>Joyce Marshall</i>	Inspection time (min)	Travel time (min)	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>		Follow-up date (if required)	Sample date/result (if required)

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
<input checked="" type="checkbox"/> 3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Administrative

901:3-4 OAC
3701-21 OAC

Violation(s)/Comment(s)

(3.2c) Observed raw eggs stored above RTE foods in walk-in cooler. Discussed raw products shall be stored below RTE (ready to eat) products to protect from contamination.

(Note) Discussed each donut type shall be labeled so customer knows what name to look up to find ingredient info.

(Note) New coke machine. Please verify a backflow device was installed.

Inspected by <i>Megan Kellee</i>	R.S./SIT # <i>143136</i>	Licensor <i>Darke Co HD</i>
Received by <i>Joyce Marshall</i>	Title	Phone