

# State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility <b>DBA The Don's Pizza Millers Network Innovations LLC</b>		Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number <b>222</b>	Date <b>12-28-17</b>
Address <b>617 S. Broadway Ave. Greenville, OH 45331</b>		Category/Descriptive <b>C30</b>		
License holder <b>Miller Network Innovations</b>	Inspection time (min) <b>100 min</b>	Travel time (min)	Other	
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other specify		Follow-up date (if required) <b>(1) 1/2/18</b>	Sample date/result (if required)	

### 3717-1 OAC Violation Checked

#### Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

#### Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

#### Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
<input checked="" type="checkbox"/> 3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

#### Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

#### Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

#### Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

#### Administrative

901:3-4 OAC
3701-21 OAC

#### Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

#### Violation(s)/Comment(s)

**3.4 (F)** Observed garlic sauce at 46°F, barbecue sauce at 45°F, and onions at 47°F in the walk-in cooler. Discussed that all RTE TCS foods shall be held at 41°F or below to prevent the growth of bacteria. PIC stated that the walk-in cooler has to be monitored as temperature keeps fluctuating. Please discard all RTE items. \*CRITICAL\* \*CORRECTED\*

Inspected by <b>Brittany Weitzel</b>	R.S./SIT # <b>16-4147</b>	Licensors <b>DOHD</b>
Received by <b>Kathleen D. Bragg</b>	Title	Phone