

# State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility <b>Osgood American Legion</b>		Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number <b>1116</b>	Date <b>2/9/18</b>
Address <b>228 Osgood - Yorkshire Rd.</b>		Category/Descriptive <b>Osgood, OH 45351 NC3S</b>		
License holder <b>Osgood Legion</b>		Inspection time (min) <b>45 min</b>	Travel time (min) <b>20 min</b>	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Precicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>		Follow-up date (if required)		Sample date/result (if required)

### 3717-1 OAC Violation Checked

#### Management and Personnel

<input type="checkbox"/>	2.1 Employee health
<input type="checkbox"/>	2.2 Personal cleanliness
<input type="checkbox"/>	2.3 Hygienic practices
<input checked="" type="checkbox"/>	2.4 Supervision

#### Food

<input type="checkbox"/>	3.0 Safe, unadulterated and honestly presented
<input type="checkbox"/>	3.1 Sources, specifications and original containers
<input type="checkbox"/>	3.2 Protection from contamination after receiving
<input type="checkbox"/>	3.3 Destruction of organisms
<input type="checkbox"/>	3.4 Limitation of growth of organisms
<input type="checkbox"/>	3.5 Identity, presentation, on premises labeling
<input type="checkbox"/>	3.6 Discarding or reconditioning unsafe, adulterated
<input type="checkbox"/>	3.7 Special requirements for highly susceptible populations

#### Equipment, Utensils, and Linens

<input type="checkbox"/>	4.0 Materials for construction and repair
<input type="checkbox"/>	4.1 Design and construction
<input type="checkbox"/>	4.2 Numbers and capacities
<input type="checkbox"/>	4.3 Location and installation

<input type="checkbox"/>	4.4 Maintenance and operation
<input type="checkbox"/>	4.5 Cleaning of equipment and utensils
<input type="checkbox"/>	4.6 Sanitizing of equipment and utensils
<input type="checkbox"/>	4.7 Laundering
<input type="checkbox"/>	4.8 Protection of clean items

#### Water, Plumbing, and Waste

<input type="checkbox"/>	5.0 Water
<input type="checkbox"/>	5.1 Plumbing system
<input type="checkbox"/>	5.2 Mobile water tanks
<input type="checkbox"/>	5.3 Sewage, other liquid waste and rainwater
<input type="checkbox"/>	5.4 Refuse, recyclables, and returnables

#### Physical Facilities

<input type="checkbox"/>	6.0 Materials for construction and repair
<input type="checkbox"/>	6.1 Design, construction, and installation
<input type="checkbox"/>	6.2 Numbers and capacities
<input type="checkbox"/>	6.3 Location and placement
<input type="checkbox"/>	6.4 Maintenance and operation

#### Poisonous or Toxic Materials

<input type="checkbox"/>	7.0 Labeling and identification
<input type="checkbox"/>	7.1 Operational supplies and applications
<input type="checkbox"/>	7.2 Storage and display separation

#### Special Requirements

<input type="checkbox"/>	8.0 Fresh juice production
<input type="checkbox"/>	8.1 Heat treatment dispensing freezers
<input type="checkbox"/>	8.2 Custom processing
<input type="checkbox"/>	8.3 Bulk water machine criteria
<input type="checkbox"/>	8.4 Acidified white rice preparation criteria
<input type="checkbox"/>	9.0 Facility layout and equipment specifications
<input type="checkbox"/>	20 Existing facilities and equipment

#### Administrative

<input type="checkbox"/>	901:3-4 OAC
<input type="checkbox"/>	3701-21 OAC

### Violation(s)/Comment(s)

2.4 (A) Observed no one at the facility to hold a serv-safe certification. The license holder may be the person in charge or shall designate a person that has supervisory and management responsibility and the authority to direct and control food preparation and service shall obtain the level 2 certification.

\* Please remind cooks to keep storing utensils all one way. Please clean the ceiling fan in the kitchen before the next use. Remember the galvanized metal tub shall not be used for food prep or storage. Please remove.

Dave Bohman = 937-623-1498

Inspected by <b>Anthony Wetzel</b>	R.S./SIT # <b>16-4147</b>	Licensors <b>OCHO</b>
Received by <b>Daniel Meiser</b>	Title	Phone