State of Ohio

Standard Inspection Report

| Autho | rity: Chapters 3717 an | d 3715 Ohio Revi | ised Code | 9 | |
|---|--|------------------------------|--------------------------------------|---|---|
| Name of facility | | Check one | License number | | Date |
| | | FICO DEC | 159 | | 12-14-2017 |
| Address Bings | | Æ FSO □ RFE | Category/Descriptive | | IN 11 701 1 |
| l | | | la a c | | W = 3 |
| 848 Martin St | r | | | Moss 3 | |
| License holder | 8. | Inspection time (min) | Travel time (| min) | Other |
| Darke Country Humany Society | | | | | |
| Type of visit (check) | | | Follow-up date (if required) Sample | | Sample date/result (if required) |
| ★ Standard □ Follow up □ Foodborne □ 30 day □ Complaint □ Prelicensing □ Consultation □ Other specify | | , | | | |
| | Tradion Other speemy | | | | |
| 3717-1 OAC Violation Checked | | | | | |
| Management and Personnel | | Poisonous or Toxic Materials | | | |
| 2.1 Employee health | | · | | 7.0 Labeling and identification | |
| 2.2 Personal cleanliness | | | | 7.1 Operational supplies and applications | |
| 2.3 Hygienic practices | | | | 2 Storage and dis | play separation |
| 2.4 Supervision | 4.7 Laundering | | Special Requirements | | |
| Food | 4.8 Protection of clean items | | | 8.0 Fresh juice production | |
| 3.0 Safe, unadulterated and honestly presented | Water, Plumbing, and Waste | | 8. | | dispensing freezers |
| 3.1 Sources, specifications and original containers | 5.0 Water | | | 2 Custom process | |
| 3.2 Protection from contamination after receiving | 5.1 Plumbing system | | 0. | ' ' | <u> </u> |
| 3.3 Destruction of organisms | 5.2 Mobile water tanks | | 8. | | rice preparation criteria |
| 3.4 Limitation of growth of organisms | 5.3 Sewage, other liquid waste and rainwater | | | | nd equipment specifications |
| 3.5 Identity, presentation, on premises labeling | 5.4 Refuse, recyclables, and returnables | | | | * |
| 3.6 Discarding or reconditioning unsafe, adulterated | · · · · · · · · · · · · · · · · · · · | | 20 Existing facilities and equipment | | |
| 3.7 Special requirements for highly susceptible populations | Physical Facilities | Administrative | | | |
| Fusion and Managina and Linear | 6.0 Materials for construction and repair | | 901:3-4 OAC | | |
| Equipment, Utensils, and Linens | 6.1 Design, construction, and installation | | 3701-21 OAC | | |
| 4.0 Materials for construction and repair | 6.2 Numbers and capacities | | | | |
| 4.1 Design and construction | 6.3 Location and placement | | | | |
| 4.2 Numbers and capacities | 6.4 Maintenance and opera | | | | |
| 4.3 Location and installation | | | | | |
| | | | | | |
| | | | | | |
| Violation(s)/Comment(s) | | | | | |
| 4.4(5) Observed flour and powdered signs being stored in yours directions | | | | | |
| | | / i | 1 - | | |
| ronlainers. Discussed | Single Service | articles and | D Sivel | e-use (| articles mag |
| 1 6 1 | | | | | |
| nox be yeurd. | | | | | |
| | | | | | |
| | | | | * | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Inspected by | R.S./SIT# | Licensor | | | |
| Grace Winhoven | 174754 | Derho | James | Nealth | Not |
| Received by | Title | DONG. | , with | A Phon | |
| A OH Y | Da. | id of | (| 1 | |
| HEA 5202 2/12 Obje Department of Harley | Diotribution Top C | CKLINA | | | 7-569-1680 |
| HEA 5302 2/12 Ohio Department of Health AGR 1268 2/12 Ohio Department of Agriculture | Distribution: Top copy—Oper | атог, воттот сору—Loc | ai neaith dep | arument | pgof |