State of Ohio

Standard Inspection Report

Autho	rity: Chapters 3717 ar	nd 3715 Ohio Rev	rised Code	
Name of facility	0.41	Check one	License number	Date
1 Pitopura Program	SUII	K FSO □ RFE	130	10/19/2017
Address	1- 0.	<u> </u>	Category/Descriptive	
11211 MANUAN KHS	Dug		(C)	
License holder	0	Inspection time (min)	Travel time (min)	Other
1) lah junes			1 20	
Type of visit (check)			Follow-up date (if required)	Sample date/result (if required)
Standard ☐ Follow up ☐ Foodb		5. /		
	Intation Differ specif	у	1	
3717-1 OAC Violation Checked				
Management and Personnel	La a I Maintenance and area		Poisonous or Toxic Materials	
2.1 Employee health 2.2 Personal cleanliness	4.4 Maintenance and operation 4.5 Cleaning of equipment and utensils		7.0 Labeling and identification 7.1 Operational supplies and applications	
2.2 Personal cleanliness 2.3 Hygienic practices	4.6 Sanitizing of equipment and utensils			
2.4 Supervision	4.7 Laundering		7.2 Storage and display separation	
Food	4.8 Protection of clean items		Special Requirements	
)			8.0 Fresh juice pro	
3.1 Sources, specifications and original containers	Water, Plumbing, and Waste			t dispensing freezers
3.2 Protection from contamination after receiving	5.0 Water 5.1 Plumbing system		8.2 Custom proces	
3.3 Destruction of organisms	5.2 Mobile water tanks			e rice preparation criteria
3.4 Limitation of growth of organisms	5.3 Sewage, other liquid waste and rainwater			and equipment specifications
3.5 Identity, presentation, on premises labeling	5.4 Refuse, recyclables, and returnables		20 Existing facilit	
3.6 Discarding or reconditioning unsafe, adulterated	<u> </u>			
3.7 Special requirements for highly susceptible populations Physical Facilities		Administrative		
Equipment, Utensils, and Linens	quipment, Utensils, and Linens 6.0 Materials for construction and repair 6.1 Design, construction, and installation		901:3-4 OAC 3701-21 OAC	
4.0 Materials for construction and repair	6.2 Numbers and capacities		3/01-21 UAC	
4.1 Design and construction	6.3 Location and placemer		-	
4.2 Numbers and capacities	6.4 Maintenance and oper			
4.3 Location and installation				
		* -		
Violation(s)/Comment(s)	1			· · · · · · · · · · · · · · · · · · ·
Valistacioni Rt.	time Of	INDECT	GON	
300000000000000000000000000000000000000		/ · · · · · · · · · · · · · · · · · · ·		
l ————————————————————————————————————				
	-			
Vallaco il di di	1 0~n004/1	0000 ha	Wad adde	(2.24.)
X Reep in Mina it	projecy	COOK DA	KRO PINA	1001
DOBAR WIGDOWS	16 8000	2	,	
The Division of the Miles	0000	2. 4 hz	Ad bo mad	200
a FILL NOWSENGER	comme	AT your	ST DE MA	in the
(Ommercial of)	replaceme	nt. Oven	in pack 4	Megniciators
				1) 0
Inspected by	R.S./SIT#	Licensor	Day KA Pa	HOCISH]
Lugar may of U.L.	2 17 - 2004	20 1	wrew	NEWINO
Received by C	Title		Pho	one
L AUNEL WYDD				
HEA 53/02 2/12 Ohio Department of Health	Distribution: Top copy—Ope	erator, Bottom copy—Lo	ocai health department	1 1