State of Ohio Standard Inspection ReportAuthority: Chapters 3717 and 3715 Ohio Revised Code

		T				
Name of facility KUSTIC HILL MAYKET		Check one	License numb	er	Date	
		☐ FSO 🕅 RFE		37	2.6.18	
Address (A) 11C. R+ 127		/	Category/Des	Sriptive		
License holder		Inspection time (min)	Travel time (min)		Other	
1 15. JOAN YYIAANTU						
Type of visit (check) Standard Follow up Foodborne 30 day			Follow-up date	e (if required)	Sample date/result (if required)	
Standard □ Follow up □ Foodborne □ 30 day □ Complaint □ Prelicensing □ Consultation □ Other specify						
		<u> </u>				
3717-1 OAC Violation Checked Management and Personnel			Paicana	us or Toxic Ma	tariale	
2.1 Employee health	4.4 Maintenance and operation			7.0 Labeling and identification		
2.2 Personal cleanliness	4.5 Cleaning of equipment and utensils					
2.3 Hygienic practices	4.6 Sanitizing of equipment and utensils			7.2 Storage and display separation		
2.4 Supervision	4.7 Laundering					
Food	4.8 Protection of clean items			Special Requirements 8.0 Fresh juice production		
3.0 Safe, unadulterated and honestly presented	Water, Plumbing, and Waste		8.0			
3.1 Sources, specifications and original containers	5.0 Water		8.2	Custom process		
3.2 Protection from contamination after receiving	5.1 Plumbing system		8.3	· · · · · · · · · · · · · · · · · · ·		
3.3 Destruction of organisms	5.2 Mobile water tanks		8.4		rice preparation criteria	
3.4 Limitation of growth of organisms	5.3 Sewage, other liquid waste and rainwater		9.0		nd equipment specifications	
3.5 Identity, presentation, on premises labeling	5.4 Refuse, recyclables, and returnables		20			
3.6 Discarding or reconditioning unsafe, adulterated	Physical Facilities		Δdminie	Administrative		
3.7 Special requirements for highly susceptible populations	6.0 Materials for construction and repair			901:3-4 OAC		
Equipment, Utensils, and Linens	6.1 Design, construction, and installation			3701-21 OAC		
4.0 Materials for construction and repair	6.2 Numbers and capacities		7			
4.1 Design and construction	6.3 Location and placement					
4.2 Numbers and capacities	6.4 Maintenance and operation					
4.3 Location and installation						
Violation(s)/Comment(s)						
Satistactory at time of inspection						
ONI part of		2 2 2	,			
_ UDF (PV+I+1Cal+1	on avaic	Will. at	<u> +1111</u>	De. 1	H	
Increation						
- WISPACTIVE						
Inspected by	IR S /SIT #	Licensor				
Becglegiby Title Phone						
11 hours of Moranta	,				-	
HEA-5302 2/12 Qhio Department of Health	Distribution: Top copy—Ope	rator, Bottom copy—I oc	al health dena	tment		
AGR 1268 2/12 Ohio Department of Agriculture		эмэн зору шос	aitii uopai		pg of	