## **State of Ohio**

## Standard Inspection Report

Author	ity. Chapters 3717 ar	id 3715 Onio Revi	sea Coae		
Name of facility		Check one	License number		Date
Addiess , ,	Treaty City Motorcycle Club DESO		Category/Descriptive		4-13-17
7270 Motorcycle Rd. Breenville			0/120		
License holder Inspection time (min)		Travel time (min)		Other	
		naverume (min)		Other	
Treaty City Motorcucio	CUID				
Type of visit (check)  ☐Standard ☐ Follow up ☐ Foodborne ☐ 30 day		Follow-up date (if required)		Sample date/result (if required)	
Complaint Prelicensing Consultation Other specify					
3717-1 OAC Violation Checked					
Management and Personnel				Poisonous or Toxic Materials	
2.1 Employee health	4.4 Maintenance and operation		→	7.0 Labeling and identification	
2.2 Personal cleanliness	4.5 Cleaning of equipment and utensils		7.1	11	
2.3 Hygienic practices	4.6 Sanitizing of equipment and utensils		17.2	7.2 Storage and display separation	
2.4 Supervision	4.7 Laundering	Special Requirements			
Food	4.8 Protection of clean items		<del> </del>	8.0 Fresh juice production	
3.0 Safe, unadulterated and honestly presented	Water, Plumbing, and Waste		8.1	ļ	dispensing freezers
3.1 Sources, specifications and original containers	5.0 Water	17.1	8.2	Custom process	ing
3.2 Protection from contamination after receiving	5.1 Plumbing system		8.3	Bulk water mac	hine criteria
3.3 Destruction of organisms	5.2 Mobile water tanks		8.4	Acidified white	rice preparation criteria
3.4 Limitation of growth of organisms	5.3 Sewage, other liquid waste and rainwater		9.0	0 Facility layout and equipment specifications	
3.5 Identity, presentation, on premises labeling	5.4 Refuse, recyclables, and returnables		20	Existing facilitie	es and equipment
3.6 Discarding or reconditioning unsafe, adulterated	Physical Facilities		Adminic	Administrative	
3.7 Special requirements for highly susceptible populations	6.0   Materials for construction and repair		Administrative		
Equipment, Utensils, and Linens	6.1 Design construction, and installation		901:3-4 OAC 3701-21 OAC		
4.0 Materials for construction and repair	6.2 Numbers and capacities		3701-21 OAC		
. 4.1 Design and construction	6.3 Location and placemen	-			
4.2 Numbers and capacities	6.4 Maintenance and opera				
4.3 Location and installation	0.7   Maintaina dia oppidaji				
Violation(s)/Comment(s)					
-Level 2 certificate available. Waiting on opt Certificate					
DICALLEGED AN MAIN OF MANY OF MATHER PRINTERS TO					
- UTSCANCA 10 11MV A WHY 4 VINI CAMICAN					
Walable at a Callina.					
$J_{\infty}$					
1-DISCUSSED POLICIES & TO MONITOR UPNIGHT THEOZOL					
-the in huid up					
1 JULIU VIVIA	U/	<del> </del>			
Water Cample taken					
Mater Sanifice Turen.					
11/COMPA is cited & Some and the second					
Inspected by A R.S./SIT.#/ Licensor Licensor					
Inspected by R.S./SIT#/2/26 Licensor (0) F-//)					
Received by Title Phone					
VC11.1 Day					
HEA 5302 2/12 Ohio Department of Health Distribution: Top copy—Operator, Bottom copy—Local health department  AGR 1268 2/12 Ohio Department of Agriculture  Distribution: Top copy—Operator, Bottom copy—Local health department  pg					