## State of Ohio

## Standard Inspection Report Authority: Chapters 3717 and 3715 Ohio Revised Code

	only. Chapters 3717 and	3/15 Onio Rev	ised Code			
Name of facility		Check one	License number		Date	
Mion City Head Start		ØFSO □ RFE	103		1-29-18	
117 Franklin St	- Union (i	4	Category/Des			
License holder Inspection time (min)		Inspection time (min)	Travel time (min)		Other	
Union (in Head Start						
Type of visit (check)		Follow-up date (if required)		Sample date/result (if required)		
Standard						
	ultation					
3717-1 OAC Violation Checked						
Management and Personnel			Poisonous or Toxic Materials			
2.1 Employee health	4.4 Maintenance and operation		7.0 Labeling and identification			
2.2 Personal cleanliness	4.5 Cleaning of equipment and utensils		7.1	Operational sup	erational supplies and applications	
2.3 Hygienic practices	4.6 Sanitizing of equipment and utensils		7.2	Storage and dis	play separation	
2.4 Supervision	4.7 Laundering		Special Requirements			
Food	4.8 Protection of clean items		8.0 Fresh juice production			
3.0 Safe, unadulterated and honestly presented	Water, Plumbing, and Waste		8.1	<del> </del>	dispensing freezers	
3.1 Sources, specifications and original containers	5.0 Water		8.2	Custom process		
3.2 Protection from contamination after receiving	5.1 Plumbing system		8.3	Bulk water mach		
3.3 Destruction of organisms	5.2 Mobile water tanks		8.4		rice preparation criteria	
3.4 Limitation of growth of organisms	5.3 Sewage, other liquid waste and rainwater		9.0		nd equipment specifications	
3.5 Identity, presentation, on premises labeling 3.6 Discarding or reconditioning unsafe, adulterated	5.4 Refuse, recyclables, and re	eturnables	20	Existing facilities		
	Physical Facilities	Administrativa				
3.7   Special requirements for highly susceptible populations   Physical Facilities   6.0   Materials for construction and repair			Administrative 901:3-4 OAC			
Equipment, Utensils, and Linens	6.1 Design, construction, and installation		3701-21 OAC			
4.0 Materials for construction and repair	6.2 Numbers and capacities			JI-ZI UAU		
4.1 Design and construction	6.3 Location and placement					
4.2 Numbers and capacities	6.4 Maintenance and operatio	7				
4.3 Location and installation						
Violation(s)/Comment(s)						
3.2 A4C - Observed no Public Health Policy, will						
3.2 H4C - Observed no Public Health Policy. Will						
email to Jessica Austen.						
					<b>V</b> .	
			**			
nspected by	R.S./SIT #	Licensor	1	1100	(00 11	
The work of the control						
Rèceived by	Title			Phone	7	
AMIN WILL MILL	<u> </u>					
EA 5302 2/12 Ohio Department of Health GR 1268 2/12 Ohio Department of Agriculture	Distribution: Top copy—Operato	r, Bottom copy—Loca	l health depart	tment	1 . 1	