

State of Ohio

Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility V&J DBA BACK In Time		Check one <input checked="" type="checkbox"/> FSO <input type="checkbox"/> RFE	License number 6	Date 10-20-17
Address 1249 Sweitzer St. Greenville		Category/Descriptive C4S		
License holder V&J DBA BACK In Time		Inspection time (min)	Travel time (min)	Other
Type of visit (check) <input type="checkbox"/> Standard <input checked="" type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other specify		Follow-up date (if required)		Sample date/result (if required)

3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specifications and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premises labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Equipment, Utensils, and Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction, and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

Administrative

901:3-4 OAC
3701-21 OAC

Violation(s)/Comment(s)

- The rubber seal is moveable & pen could push through. Owner stated a cement ledge is going to be installed outside the door so when the door shuts, it will be flush so no rodents can get in.

- Cleaning is looking better

- Restrooms will be done Sunday.

Inspected by Megan Keller	R.S./SIT # 143136	Licenser Darre Co HD
Received by [Signature]	Title	Phone