State of Ohio
Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility	Check one	License number	Date
Northtowne Sunoco	☐ FSO ☒ RFE	2070	5.7.18
Address: 1201 Russ Rd, Greenville		Category/Descriptive: C3S	
License holder: Northtowne Sunoco, Inc	Inspection time (min)	Travel time (min)	Other
Type of visit (check): ☒ Standard ☐ Follow up ☐ Foodborne ☐ 30 day ☐ Complaint ☐ Prelicensing ☐ Consultation ☐ Other *specify*		Follow-up date (if required)	Sample date/result (if required)

3717-1 OAC Violation Checked

Management and Personnel

	2.1	Employee health
	2.2	Personal cleanliness
	2.3	Hygienic practices
	2.4	Supervision

Food

	3.0	Safe, unadulterated and honestly presented
	3.1	Sources, specifications and original containers
	3.2	Protection from contamination after receiving
	3.3	Destruction of organisms
	3.4	Limitation of growth of organisms
X	3.5	Identity, presentation, on premises labeling
	3.6	Discarding or reconditioning unsafe, adulterated
	3.7	Special requirements for highly susceptible populations

Equipment, Utensils, and Linens

	4.0	Materials for construction and repair
	4.1	Design and construction
	4.2	Numbers and capacities
	4.3	Location and installation
	4.4	Maintenance and operation
	4.5	Cleaning of equipment and utensils
	4.6	Sanitizing of equipment and utensils
	4.7	Laundering
	4.8	Protection of clean items

Water, Plumbing, and Waste

	5.0	Water
	5.1	Plumbing system
	5.2	Mobile water tanks
	5.3	Sewage, other liquid waste and rainwater
	5.4	Refuse, recyclables, and returnables

Physical Facilities

X	6.0	Materials for construction and repair
	6.1	Design, construction, and installation
	6.2	Numbers and capacities
	6.3	Location and placement
	6.4	Maintenance and operation

Poisonous or Toxic Materials

	7.0	Labeling and identification
	7.1	Operational supplies and applications
	7.2	Storage and display separation

Special Requirements

	8.0	Fresh juice production
	8.1	Heat treatment dispensing freezers
	8.2	Custom processing
	8.3	Bulk water machine criteria
	8.4	Acidified white rice preparation criteria
	9.0	Facility layout and equipment specifications
	20	Existing facilities and equipment

Administrative

	901:3-4 OAC
	3701-21 OAC

Violation(s)/Comment(s) 2.3C Remember to wear hair restraints.

6A) Observed water damaged tiles above 3 bay sink. Discussed to repair tiles so they are not a source of cross contamination and are non-absorbent for areas subject to moisture

3.5C) No labeling on donut case to correspond with donut information ingredient list. Discussed bulk food that is avaiable for consumer-self dispensing shall be prominently labeled w/ the manufacturers label that was provided with the donuts. Repeat

Inspected by	R.S./SIT #	Licensor
[signature]	164029	DCHD
Received by: [signature]	Title	Phone

HEA 5302 2/12 Ohio Department of Health
AGR 1268 2/12 Ohio Department of Agriculture

Distribution: Top copy—Operator, Bottom copy—Local health department