

State of Ohio Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility Speedway #9654		Check one <input type="checkbox"/> FSO <input checked="" type="checkbox"/> RFE	License number 2092	Date 4/10/18
Address 1350 Sweitzer St. Greenville		Category/Descriptive C35		
License holder Speedway, LLC		Inspection time (min)	Travel time (min)	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>		Follow-up date (if required)		Sample date/result (if required)

3717-1 OAC Violation Checked

Management and Personnel

<input type="checkbox"/>	2.1 Employee health
<input type="checkbox"/>	2.2 Personal cleanliness
<input type="checkbox"/>	2.3 Hygienic practices
<input checked="" type="checkbox"/>	2.4 Supervision

Food

<input type="checkbox"/>	3.0 Safe, unadulterated and honestly presented
<input type="checkbox"/>	3.1 Sources, specifications and original containers
<input type="checkbox"/>	3.2 Protection from contamination after receiving
<input type="checkbox"/>	3.3 Destruction of organisms
<input type="checkbox"/>	3.4 Limitation of growth of organisms
<input type="checkbox"/>	3.5 Identity, presentation, on premises labeling
<input type="checkbox"/>	3.6 Discarding or reconditioning unsafe, adulterated
<input type="checkbox"/>	3.7 Special requirements for highly susceptible populations

Equipment, Utensils, and Linens

<input type="checkbox"/>	4.0 Materials for construction and repair
<input type="checkbox"/>	4.1 Design and construction
<input type="checkbox"/>	4.2 Numbers and capacities
<input type="checkbox"/>	4.3 Location and installation

<input checked="" type="checkbox"/>	4.4 Maintenance and operation
<input checked="" type="checkbox"/>	4.5 Cleaning of equipment and utensils
<input type="checkbox"/>	4.6 Sanitizing of equipment and utensils
<input type="checkbox"/>	4.7 Laundering
<input type="checkbox"/>	4.8 Protection of clean items

Water, Plumbing, and Waste

<input type="checkbox"/>	5.0 Water
<input type="checkbox"/>	5.1 Plumbing system
<input type="checkbox"/>	5.2 Mobile water tanks
<input type="checkbox"/>	5.3 Sewage, other liquid waste and rainwater
<input type="checkbox"/>	5.4 Refuse, recyclables, and returnables

Physical Facilities

<input type="checkbox"/>	6.0 Materials for construction and repair
<input type="checkbox"/>	6.1 Design, construction, and installation
<input type="checkbox"/>	6.2 Numbers and capacities
<input type="checkbox"/>	6.3 Location and placement
<input type="checkbox"/>	6.4 Maintenance and operation

Poisonous or Toxic Materials

<input type="checkbox"/>	7.0 Labeling and identification
<input type="checkbox"/>	7.1 Operational supplies and applications
<input type="checkbox"/>	7.2 Storage and display separation

Special Requirements

<input type="checkbox"/>	8.0 Fresh juice production
<input type="checkbox"/>	8.1 Heat treatment dispensing freezers
<input type="checkbox"/>	8.2 Custom processing
<input type="checkbox"/>	8.3 Bulk water machine criteria
<input type="checkbox"/>	8.4 Acidified white rice preparation criteria
<input type="checkbox"/>	9.0 Facility layout and equipment specifications
<input type="checkbox"/>	20 Existing facilities and equipment

Administrative

<input checked="" type="checkbox"/>	901:3-4 OAC
<input type="checkbox"/>	3701-21 OAC

Violation(s)/Comment(s)

4.5B) Observed a build up of debris on the pop nozzles. PIC removed the nozzles to be cleaned at time of inspection. Discussed equipment food-contact surfaces and utensils shall be cleaned at a frequency to prevent build-up.

2.4C) Facility has an employee health policy but the signed copy was not located at time of inspection. PIC stated she will have employees read document and sign it. Discussed food and conditional employees are informed in a verifiable

Inspected by Laura Schwieterma	R.S./SIT # 16-4029	Licensors DCH/O
Received by Heaton	Title Moss	Phone

State of Ohio
Continuation Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Facility name Speedway #91654	Type of inspection Standard 4-10-18
----------------------------------	--

Violation(s)/Comment(s)

2.4G cont) manner of their responsibility to report to the PIC information about their health as it relates to diseases that are transmissible through food.

4.4A) Observed the fire door seal pulled away from the door. Discussed to repair seal so the unit is in good repair.

901: 3-4-02 G) No food license displayed at time of inspection. Discussed a license holder shall display the license for the retail food establishment at all times at the licensed location

Inspected by Laura Schmitterma	R.S./SIT # 16-4029	Licenser DCHD
Received by Huston	Title	Phone